

????????????



[??](#)

[??\(?198?\)](#)

1?????

???????????????????? ???? ???? ???? ???? ?
???????????????? ???? ???? ???? ???? ????
???? ???? ???? ???? ???? ???? ???? ????
?? ???? ???? ????5???? ???? ???? ???? ????
????????????????????????????????

2????????????????

???????????????? ???? ???? ???? ???? ????
?????? ?

??????????????



????????? ?????????????? ?????????? ?????????????? ?????? ?

????????????????? ?????????? ?????????????????? ?????????????????????? ?????????? ??????
????????????????????? ?

????????????????????? ?????????????? ?????????????????????????? ?????????????? ?????? ??????????????
????????? ?

5??????? ?????????????????????????? ?????????????? ?????????????????? ?

2.1?????????

????????????????????????????????? ?????????????????? ?????????????? ??????????????????????????????
????????????????????????????? ?????????????????????? ?????????????????????? ?

????????????????????? ?????????????????????? ?????????????????????? ?????????????????? ??????????????
????????? ?????? ?????????? ?????????????????? ?????????????? ?????????????? ??????????????
????????????????????????????? ?????????????? ?

2.2??????

????????????????????????? ?????????????????????????????????? ?????????????? ?

??????????????

```
IP Route commands ( Networking ) :
ip l : show interfaces link addresses
ip l set addr <address> dev <dev> : change link address of device
ip a : show interfaces IP addresses
ip a add <ip> dev <dev> : add IP address to device
ip r : show routes
ip r * : show IPec routes
ip r add to <dev> via <gateway> dev <dev> : add new route
ip tunnel add <name> mode <mode> local <ip> remote <ip> : create tunnel
ip maddr : show multicast memberships

Misc Networking :
arp : show arp cache
ss -at : list all listening sockets
lsof -i : show all open network sockets on the system
cat 1 > /proc/sys/net/ipv4/icmp_forward : activate packet forwarding

File Operations :
file <file> : show file type
stat <file> : show all filesystem information about the file

vim commands :
motions :
gv - move to end of previous word
gE - move to end of previous WORD
gI - move to hard beginning of line ( column 1 ), enter insert mode
gv - move to character in the middle of the screenline
IT - redraw, cursor line at top of window
m - redraw, cursor line at middle of window
b - redraw, cursor line at bottom of window

Folds :
[[motion]] : create fold for <motion> text ( min 2 lines )
za : open fold
zc : close fold
za : toggle open/close fold
example : [[a] - create fold around tags

Misc :
resplit <filenames> : split vertically and edit file in the new window
Cw w : create vertical split
Cw <w1>,<w2> : move to window at relative position from active window
[tab halt] : put all open buffers in tab

Filesystem :
cat /etc/passwd : show mounted filesystem
ls -l <file> : show program using <file>
ls -ld /etc <device> : show root filesystem on device accessed by <device>
ls -ld /etc <device> : show root filesystem on device accessed by <device>
df <file> -h : show partition size, used space, free space, mounting point of
the partition where <file> is

System :
system - /proc - /sys - /dev - /etc : files containing useful information on processlist and
memory and system, permits expert fine-tuning of the host.
lsbmc : list all hardware
lsbmc -C <class> : list all <class> hardware
lsbmc : list all pci devices
lsbmc : list all usb devices
dmesg : print kernel logs, hardware and tech talk

Keyboard :
mapkeys <keys.map> : map kernel keyboard map to file <keys.map>
loadkeys <keys.map> : load keyboard map into kernel

Vt's, TTYs and X :
screen : launch command on first vt available
ctrl N : change current foreground vt to N, (created if not existed)
deadkey : kill all pressed vt's
startx -- : launch X server on display :2, with graphic environment
xinit -- : launch X server on display :2, with an xterm
xauth : xauthinit, xauthrity file
xhost - : disable all AIXs on X server, use with care ( or not at all )

Screen :
C+ | : vertical split of current region into two new ones
C+ <TAB> : switch the focus to the next region
C+ A : kill current region
C+ Q : kill all regions but the current one
C+ N : show the number and title of the current window
C+ Ck : kill the current window
C+ A : enter the title of the current window
C+ <ESC> : enter copy/screenback mode, alias vi like way to move and copy
C+ z : suspend screen.
```

??????? ?????????? ?????????????????? ?????????????? ?8?????8000+??????? ???
???80%?? ?????????? ?????? ?????? ?

3??????

? ?????????????????????? ?????????? ?????????????????????? ?????????????????????? ??????????
??? ?????? ?????? ?????????? ?????????????? ?????? ?

4??????

[?????????????? ??????????????? PDF?????????????????????.pdf word?????????????????????.doc
?????????? ??????????????????? ?????????? ?????????? ???????????????????](#)

????

????

??????????


- ? ??????
- ?????1970-01-01 08:00:00
- ? ??????
- ? ? ????????????
- ? ??¥96.00 ?
- ? ? ????????????



????

- • •

??07????



???

[illegible]


??????????????



??????????



????????????



??????????

??????????????



[??????????](#)



[???app??app????](#)




[????????????](#)

??????????????



[????????????????](#)



????

3321?

[??](#)

????????

[??](#) | [????](#)