

??(?51?)

??
 ??????? ??????? ???~

???????????? ???? ???
 ??

??????????



????????????? ???? ???? ???? ???? ????
???? ?

????????????? ???? ???? ???? ???? ????
??? ?

????????????? ???? ???? ???? ???? ????
???? ?

????????????? ???? ????IP???????? ?

2.1???????


????????????? ???? ???? ?1.???? ????
?2.????????????? ???? ???? ???? ????
????????????? ???? ???? ???? ???? ?
???? ???? ???? ???? ???? ?

????????????? ???? ???? ?

2.2?????

???“?????” ?“?????” ?“?????” ?????? ?

??????????



????????????? ?????????????????????? ?????????????????? ?????????????? ??????????
????????????????????????? ?????????????????????? ?????????????????????? ??????????????????????
????????????????????? ?????????????? ?? ?????????????? ?

3??????

????????????? ?????????????????????????? ?????????????????? ?????????????? ??????????????????????
????????????????????????? ?? ?????????????????????????? ?
????????????????????“?????????” ?

4??????

[word?????????????????????.doc](#) [????????????????????](#) [????????????????????](#) [PDF?????????????????????.pdf](#)
[????????????????????](#) [????????????????????](#)

?????

??????????

???


- ? ?????
- ?????1970-01-01 08:00:00
- ? ?????
- ? ? ?????????
- ? ??¥93.00 ?
- ? ? ?????????



???

-
-
-

??17???



???

????????????



??????????



??????????????????



??????????

??????????



[??????????](#)



[??????????????](#)

■ IP地址分类:
A: 首位为0; 1.0.0.0~126.0.0.0; 主机号24位
B: 前两位为10; 128.1.0.0~191.255.0.0; 主机号16位
C: 前三位为110; 192.0.1.0~223.255.255.0; 主机号8位
D: 前四位为1110; 224.0.0.0~239.255.255.255
E: 前四位为1111; 240.0.0.0~255.255.255.254
■ 主机号为0的网络地址, 表示网络本身。例如 202.120.95.0表示一个C类网络。
■ 主机号全为1的地址保留做为定向广播。例如 202.120.95.255表示一个广播地址。

[??????????](#)

???????????



[???????????](#)

????

2813?

[??](#)

?????????

[??](#) | [????](#)