




[??](#)
[??\(?183?\)](#)

1?????

????????? ???? ???? ???? ????5?sigma?????????????????
????????????????

2?5?sigma???????

????????? ???? ???? ???? ???? ???? ????
??? ???? ???? ???? ???? ???? ????
???????????? ????24???????? ???? ????
?



????????????? ?????????????????? ?????????? ?????????????? ??????????????????????
????????????? ?????????? ?????????????????? ?????????????????? ?????????????????? ??????????????????
????????????? ?

????????????????????????? ?????????????????? ?????????????????????? ?????????????????????? ???
????????????????????? ?????????????? ?????????????????????????? ?????????????????????????? ??????????????????????
????????????? ?????????????????????? ?????????????????????????? ?????????????????????????? ?????????????????? ???
?5????????? ?????? ?????????? ?????????????????? ?

????????????????? ?????????????????????? ?????????????? ?????????????????????? ?????????????????? ??????????
????? ?????????????????? ?????????????? ?????????????????? ?????????????? ?

????????????????? ?????????????????? ?????????????????? ?????????????????? ?????????? ?????????????????? ??????
?? ?????????? ?????????????? ?

2.1?????????

????????????????? ?????????????????????????????????????? ?

??? ??
??????? ?????????????? ?????????????????????????? ?????????? ?????????????????????????????????????? ??????????
????????????????? ?? ?

???

???

- ? ?????
- ?????1970-01-01 08:00:00
- ? ?????
- ? ? ?????????
- ? ??¥26.00 ?
- ? ? ?????????



???

-
-
-

??44???



- A: 首位为: 1.0.0.0~126.0.0.0; 主机号24位
- B: 前两位为10; 128.1.0.0~191.255.0.0; 主机号16位
- C: 前三位为110; 192.0.1.0~223.255.255.0; 主机号8位
- D: 前四位为1110; 224.0.0.0~239.255.255.255
- E: 前四位为1111; 240.0.0.0~255.255.255.254
- 主机号为0的网络地址, 表示网络本身。例如202.120.95.0表示一个C类网络。
- 主机号全为1的地址保留做为定向广播。例如202.120.95.255表示一个C类地址。

5?sigma?????




[??wifi????????](#)



[????????????](#)



[??????????](#)



????

3216?

[??](#)

?????????

[??](#) | [????](#)