

?????



?????2025-05-13 07:24:59

??????



??

??(?22?)

1????

????????? ??????? ?1.????????????? ??????? ??????????? ??????????????????
 ??????? ??

2????????????????

[illegible]

?????



??????????? ???? ?????????????????????? ??????????????????????
 ??? ???? ???? ???? ?

??? ?????????????????? ?????????? ?????????? ?????????? ?

???????????? ???? ???? ???? ????????? ?

????????????????????????????? ???????? ?????????????????? ??????????????????
?

2.1?????

????????????????? ?????????????????????????????????? ???????? ?????????? ??????
 ??????? ?????????????????????? ?????????????????? ??????? ?????? ???????????????
 ?

???????????? ???? ???? ???? ???? ???? ???? ????
 ????? ???? ???? ???? ???? ???? ???? ???? ????
 ????????????? ???? ?

2.2?????

?????????? ?????? ?????????????????????? ?

?????

年天將近我輸掉全身存款

自作孽不可活，白干一年又一年

作者：王征

????????????? ????????? ???
 ?????????????? ????????? ??

3????

???????????????? ???? ????????????????? ???? ????? ???? ?????????
 ????????????? ???? ????? ???? ????????? ???? ????????????????? ????
 ??? ???? ????????????????? ?

4?????

[????????????? ?????????????????? ?????????????????? word?????????????.doc ??????????????????](#)
[PDF?????????????.pdf ?????????????????? ?????????? ??????????](#)

????

?????

???

- ? ???? ?
- ?????1970-01-01 08:00:00
- ? ??????
- ? ? ????????????
- ? ??¥42.00 ?
- ? ? ??????????????



???

-
-
-

??35????



[illegible]

???


**“贪”与“贫”只差一点，
一念之差，一线之隔，一无所有。**

```

1  #!/usr/bin/perl
2
3  use strict;
4  use warnings;
5
6  my $VERSION = 1.0;
7
8  my $USAGE = "
9  perl $0 [options]
10
11  Options:
12  -h, --help           Display this help message
13  -v, --version        Display version information
14  -f, --file FILE      Input file
15  -o, --output FILE     Output file
16  -s, --size SIZE      File size in bytes
17  -m, --mode MODE      File mode (octal)
18  -u, --uid UID         User ID (numeric)
19  -g, --gid GID         Group ID (numeric)
20  -k, --perms PERMS     File permissions (octal)
21  -t, --type TYPE       File type (regular, directory, symlink, etc.)
22  -c, --checksum        Calculate and display checksum
23  -C, --checksum-file   Checksum file name
24  -d, --debug           Enable debug output
25  -q, --quiet           Suppress non-error messages
26  -n, --no-prompt       Do not prompt for confirmation
27  -y, --yes             Assume yes to all prompts
28  -e, --error FILE      Error log file
29  -E, --error-mode MODE  Error handling mode (warn, error, ignore)
30  -S, --silent          Suppress all output
31  -T, --test            Test mode
32  -H, --help            Display this help message
33  -V, --version         Display version information
34
35  Examples:
36  perl $0 -f file.txt -o out.txt -s 1024 -m 0644 -u 1000 -g 1000
37  perl $0 -f file.txt -c -C checksum.txt
38  perl $0 -f file.txt -d
39  perl $0 -f file.txt -q
40  perl $0 -f file.txt -n
41  perl $0 -f file.txt -y
42  perl $0 -f file.txt -e error.log -E warn
43  perl $0 -f file.txt -S
44  perl $0 -f file.txt -T
45  perl $0 -f file.txt -h
46  perl $0 -f file.txt -v
47
48  Copyright (c) 2010, John Doe
49  All rights reserved.
50
51  Redistribution and use in source and binary forms, with or without
52  modification, are permitted provided that the following conditions are met:
53
54  1. Redistributions of source code must retain the above copyright notice,
55  this list of conditions and the following disclaimer.
56
57  2. Redistributions in binary form must reproduce the above copyright notice,
58  this list of conditions and the following disclaimer in the documentation
59  and/or other materials provided with the distribution.
60
61  3. Neither the name of the copyright holder nor the names of its
62  contributors may be used to endorse or promote products derived from
63  this software without specific prior written permission.
64
65  THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
66  "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
67  LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
68  A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
69  HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
70  SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
71  TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
72  PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
73  LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
74  NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
75  SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
76
77  Created: 2010-01-01
78  Last Modified: 2010-01-01
79  Author: John Doe
80  Email: john.doe@example.com
81  Website: http://example.com
82  "
83
84  my $help = $USAGE;
85
86  my $file = "";
87  my $output = "";
88  my $size = 0;
89  my $mode = 0;
90  my $uid = 0;
91  my $gid = 0;
92  my $perms = 0;
93  my $type = "regular";
94  my $checksum = 0;
95  my $checksum_file = "";
96  my $debug = 0;
97  my $quiet = 0;
98  my $no_prompt = 0;
99  my $yes = 0;
100 my $error_file = "";
101 my $error_mode = "warn";
102 my $silent = 0;
103 my $test = 0;
104 my $help_flag = 0;
105 my $version_flag = 0;
106
107 while (my $arg = shift) {
108     if ($arg eq "-h" || $arg eq "--help") {
109         print $help;
110         exit 0;
111     }
112     if ($arg eq "-v" || $arg eq "--version") {
113         print $VERSION;
114         exit 0;
115     }
116     if ($arg eq "-f" || $arg eq "--file") {
117         $file = shift;
118     }
119     if ($arg eq "-o" || $arg eq "--output") {
120         $output = shift;
121     }
122     if ($arg eq "-s" || $arg eq "--size") {
123         $size = shift;
124     }
125     if ($arg eq "-m" || $arg eq "--mode") {
126         $mode = shift;
127     }
128     if ($arg eq "-u" || $arg eq "--uid") {
129         $uid = shift;
130     }
131     if ($arg eq "-g" || $arg eq "--gid") {
132         $gid = shift;
133     }
134     if ($arg eq "-k" || $arg eq "--perms") {
135         $perms = shift;
136     }
137     if ($arg eq "-t" || $arg eq "--type") {
138         $type = shift;
139     }
140     if ($arg eq "-c" || $arg eq "--checksum") {
141         $checksum = 1;
142     }
143     if ($arg eq "-C" || $arg eq "--checksum-file") {
144         $checksum_file = shift;
145     }
146     if ($arg eq "-d" || $arg eq "--debug") {
147         $debug = 1;
148     }
149     if ($arg eq "-q" || $arg eq "--quiet") {
150         $quiet = 1;
151     }
152     if ($arg eq "-n" || $arg eq "--no-prompt") {
153         $no_prompt = 1;
154     }
155     if ($arg eq "-y" || $arg eq "--yes") {
156         $yes = 1;
157     }
158     if ($arg eq "-e" || $arg eq "--error") {
159         $error_file = shift;
160     }
159     if ($arg eq "-E" || $arg eq "--error-mode") {
160         $error_mode = shift;
161     }
162     if ($arg eq "-S" || $arg eq "--silent") {
163         $silent = 1;
164     }
165     if ($arg eq "-T" || $arg eq "--test") {
166         $test = 1;
167     }
168 }
169
170 if ($file eq "") {
171     print "Error: No input file specified\n";
172     exit 1;
173 }
174
175 if ($output eq "") {
176     $output = $file;
177 }
178
179 if ($size eq 0) {
180     $size = 1024;
181 }
179
180 if ($mode eq 0) {
181     $mode = 0644;
182 }
183
184 if ($uid eq 0) {
185     $uid = 1000;
186 }
187
188 if ($gid eq 0) {
189     $gid = 1000;
190 }
191
192 if ($perms eq 0) {
193     $perms = 0644;
194 }
195
196 if ($type eq "") {
197     $type = "regular";
198 }
199
200 if ($checksum) {
201     if ($checksum_file eq "") {
202         $checksum_file = "checksum.txt";
203     }
204     my $checksum = 0;
205     my $checksum_data = "";
206     my $checksum_file_data = "";
207     my $checksum_file_size = 0;
208     my $checksum_file_mode = 0;
209     my $checksum_file_uid = 0;
210     my $checksum_file_gid = 0;
211     my $checksum_file_perms = 0;
212     my $checksum_file_type = "regular";
213     my $checksum_file_checksum = 0;
214     my $checksum_file_checksum_file = "";
215     my $checksum_file_debug = 0;
216     my $checksum_file_quiet = 0;
217     my $checksum_file_no_prompt = 0;
218     my $checksum_file_yes = 0;
219     my $checksum_file_error_file = "";
220     my $checksum_file_error_mode = "warn";
221     my $checksum_file_silent = 0;
222     my $checksum_file_test = 0;
223     my $checksum_file_help_flag = 0;
224     my $checksum_file_version_flag = 0;
225     while (my $arg = shift) {
226         if ($arg eq "-h" || $arg eq "--help") {
227             print $help;
228             exit 0;
229         }
230         if ($arg eq "-v" || $arg eq "--version") {
231             print $VERSION;
232             exit 0;
233         }
234         if ($arg eq "-f" || $arg eq "--file") {
235             $file = shift;
236         }
237         if ($arg eq "-o" || $arg eq "--output") {
238             $output = shift;
239         }
240         if ($arg eq "-s" || $arg eq "--size") {
241             $size = shift;
242         }
243         if ($arg eq "-m" || $arg eq "--mode") {
244             $mode = shift;
245         }
246         if ($arg eq "-u" || $arg eq "--uid") {
247             $uid = shift;
248         }
249         if ($arg eq "-g" || $arg eq "--gid") {
250             $gid = shift;
251         }
252         if ($arg eq "-k" || $arg eq "--perms") {
253             $perms = shift;
254         }
255         if ($arg eq "-t" || $arg eq "--type") {
256             $type = shift;
257         }
258         if ($arg eq "-c" || $arg eq "--checksum") {
259             $checksum = 1;
260         }
259         if ($arg eq "-C" || $arg eq "--checksum-file") {
260             $checksum_file = shift;
261         }
262         if ($arg eq "-d" || $arg eq "--debug") {
263             $debug = 1;
264         }
265         if ($arg eq "-q" || $arg eq "--quiet") {
266             $quiet = 1;
267         }
268         if ($arg eq "-n" || $arg eq "--no-prompt") {
269             $no_prompt = 1;
270         }
269         if ($arg eq "-y" || $arg eq "--yes") {
270             $yes = 1;
271         }
272         if ($arg eq "-e" || $arg eq "--error") {
273             $error_file = shift;
274         }
273         if ($arg eq "-E" || $arg eq "--error-mode") {
274             $error_mode = shift;
275         }
276         if ($arg eq "-S" || $arg eq "--silent") {
277             $silent = 1;
278         }
277         if ($arg eq "-T" || $arg eq "--test") {
278             $test = 1;
279         }
280     }
281     if ($file eq "") {
282         print "Error: No input file specified\n";
283         exit 1;
284     }
285     if ($output eq "") {
286         $output = $file;
287     }
288     if ($size eq 0) {
289         $size = 1024;
290     }
291     if ($mode eq 0) {
292         $mode = 0644;
293     }
294     if ($uid eq 0) {
295         $uid = 1000;
296     }
297     if ($gid eq 0) {
298         $gid = 1000;
299     }
300     if ($perms eq 0) {
301         $perms = 0644;
302     }
303     if ($type eq "") {
304         $type = "regular";
305     }
306     if ($checksum) {
307         if ($checksum_file eq "") {
308             $checksum_file = "checksum.txt";
309         }
310         my $checksum = 0;
311         my $checksum_data = "";
312         my $checksum_file_data = "";
313         my $checksum_file_size = 0;
314         my $checksum_file_mode = 0;
315         my $checksum_file_uid = 0;
316         my $checksum_file_gid = 0;
317         my $checksum_file_perms = 0;
318         my $checksum_file_type = "regular";
319         my $checksum_file_checksum = 0;
320         my $checksum_file_checksum_file = "";
321         my $checksum_file_debug = 0;
322         my $checksum_file_quiet = 0;
323         my $checksum_file_no_prompt = 0;
324         my $checksum_file_yes = 0;
325         my $checksum_file_error_file = "";
326         my $checksum_file_error_mode = "warn";
327         my $checksum_file_silent = 0;
328         my $checksum_file_test = 0;
329         my $checksum_file_help_flag = 0;
330         my $checksum_file_version_flag = 0;
331         while (my $arg = shift) {
332             if ($arg eq "-h" || $arg eq "--help") {
333                 print $help;
334                 exit 0;
335             }
336             if
```

5 / 7

?????



[??????????????](#)



[??????????](#)



[????????](#)

????

5286?

?????

[??](#)

????????

[??](#) | [????](#)