

??(?171?)

[illegible]

????????????????????????????? ?????????????? ????????????? ?

????????



???????????????? ???? ???? ???? ???? ???? ???? ???? ???? ???? ????
???? ?

???? ???? ???? ???? ???? ???? ???? ???? ???? ???? ???? ????
???? ???? ???? ???? ???? ???? ???? ???? ???? ???? ????
???? ???? ???? ???? ???? ???? ???? ???? ???? ???? ????
???? ???? ???? ???? ???? ???? ???? ?

? : ?????? chu ?
???? ?

???? ? ? ? ? ? ? ? ? ? ?

2.1????

????
?

???? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?

2.2????

????
???? ? ? ? ? ? ? ? ? ? ? ?

????????



?? ?????????????5000?? ?????????????? ?????????????? ?????????? ??????
????? ?????????????????? ?

3?????

?????????2????? ?????????????????????????????????????? ?

4?????

[????????????????? ?????????????????? ?????????????????? ?????????????????? PDF?????????????????.pdf](#)
[????????????? word?????????????????.doc ?????????????? ??????????????????](#)

????

????????

????


- ? ??????
- ?????1970-01-01 08:00:00
- ? ??????
- ? ? ????????
- ? ??¥32.00 ?
- ? ? ????????????



????


-
-
-

??49???



????

[illegible]



????????



????????



????????????

■ IP地址分类:
A: 首位为0; 1.0.0.0~126.0.0.0; 主机号24位
B: 前两位为10; 128.1.0.0~191.255.0.0; 主机号16位
C: 前三位为110; 192.0.1.0~223.255.255.0; 主机号8位
D: 前四位为1110; 224.0.0.0~239.255.255.255
E: 前四位为1111; 240.0.0.0~255.255.255.254
■ 主机号为0的网络地址, 表示网络本身。例如 202.120.95.0表示一个C类网络。
■ 主机号全为1的地址保留做为定向广播。例如 202.120.95.255表示一个广播地址。

??????????

?????????



[????????????](#)



[???](#)




[????club????????](#)

????????



[??????????????](#)



????
7548?
[??](#)

????????
[??](#) | [????](#)