

??????



2025-05-14 09:48:47

???????



[??](#)

[??\(72?\)](#)

1?????

1.????????? ????? ?????????? ?????????? ?????????????? ?????????????????????? ?????
??

2???????????????

????????????????????? ?????????? ?????????? ?????????? ?????????? ??????????
????? ?????????????? ?????????????? ?

??????



????????????? ?????????????????????? ?????????????????????? ?

????????????????????? ?????????????? ?????????????????????? ??????? ?????????????? ?
????????????????? ?

?????????? ?????????????? ?????? ??????? ?

??????? ?????????????? ?????????????? ?????????????? ?????????? ?????????????? ??????????????
????????? ?????????????????? ??????????? ?????????????????????? ?????????????????????? ?

2.1?????????

????????????????? ?????????????????????????????????? ?????????? ?????????????????????? ??????????? ?
????????????????? ??????????????? ?????????? ?????????????????????? ??????????????????QQ ?????????? ??????????
?

????????????????? ?????????????????????? ?????????????????? ?? ?

2.2???????

????????????????????????????? ?????????? ?????????????????????????? ?????????????? ?????????????????????? ??????????
????????????????????????? ??????????????? ?????????????????????????? ?????????????????????? ??????????????? ??????????????
??? ?

??????

```
1 package demo.test;
2 import java.awt.GridLayout;
3 import java.awt.event.ItemEvent;
4
5 import javax.swing.BorderFactory;
6 import javax.swing.JComboBox;
7 import javax.swing.JFrame;
8 import javax.swing.JLabel;
9 public class HelloWorld {
10     static Integer i=0;
11     public static void main(String[] args) {
12         JFrame f1=new JFrame("窗体");
13         JLabel j1=new JLabel("String");
14         JLabel j2=new JLabel("Integer");
15         String S[]= {"A1","B2","C3"};
16         Integer I[]= {1,2,3,4,5};
17         JComboBox<?> com1=new JComboBox<>(S);
18         JComboBox<?> com2=new JComboBox<>(I);
19         com1.setBorder(BorderFactory.createTitledBorder("String"));
20         com2.setBorder(BorderFactory.createTitledBorder("Integer"));
21         com1.addItemListener((ItemEvent e)->{
22             j1.setText(e.getItem().toString());
23         });
24     }
25 }
```

????????????????? ?????? ?????????? ???????? ?????????? ??????????????????
????????????????? ?????????????? ?????????? ?????????????? ??????? ?

3??????

????????????? ?????????????? ?????? ??????? ?

4??????

[????????????? ?????????????? ?????????? ???????? word?????????????.doc ??????????????](#)
[????????????? ?????????? PDF?????????????.pdf ??????????????](#)

?????

?????

??????

- ? ??????
- ?????1970-01-01 08:00:00
- ? ??????
- ? ? ??????????
- ? ??¥01.00 ?
- ? ? ?????????????



???

-
-
-

??65???



???

[illegible]

??????



????????????



??????????



????

??????



????????????



????????


■ IP地址分类:
A: 首位为0; 1.0.0.0~126.0.0.0; 主机号24位
B: 前两位为10; 128.1.0.0~191.255.0.0; 主机号16位
C: 前三位为110; 192.0.1.0~223.255.255.0; 主机号8位
D: 前四位为1110; 224.0.0.0~239.255.255.255
E: 前四位为1111; 240.0.0.0~255.255.255.254
■ 主机号为0的网络地址, 表示网络本身。例如 202.120.95.0表示一个C类网络。
■ 主机号全为1的地址保留做为定向广播。例如 202.120.95.255表示一个广播地址。

????????

??????



[??????????????](#)



????

6947?

[??](#)

????????

[??](#) | [????](#)